



Without compromising on cleaning performance

For maximum efficiency, think Nilfisk

The Nilfisk range of automatic cleaning machines allows you to clean efficiently. You can trust us on four priorities when we design and develop the machines - excellent cleaning results, ease of use, maximum lifespan, low maintenance and service costs.

Reduce downtime with Nilfisk "tool-free" system

The exclusive Nilfisk "tool-free" system allows the operator to check or change the brushes and decks quickly and easily, thus keeping downtime to a minimum and saving money. Our machines are designed to be easy to maintain, all the main parts can be accessed quickly and directly.

We focus on maximising your up-time

All scrubber dryers have been built for easy maintenance and maximum up-time. This is enhanced by features like:

- easy access to key components like batteries and vacuum motor
- easy and quick change of squeegee blades, brushes and pads
- no tools needed to change accessories
- easy access to batteries for service; easy to charge

Effective cleaning with a vast range of discs and brushes

All discs and brushes are designed to carefully clean many types of floors. Nilfisk scrubber dryers can safely and effectively clean all hard floor surfaces. Nilfisk can advise on the machine, accessory and detergent most suitable for use in your premises. Our machines remove all types of dirt: dust, oil, rubber etc. Nilfisk has the perfect solution for you. A comprehensive range of accessories extends the use of your scrubber dryer.

- batteries or cable: depends on the environment to clean
- charger on board or not: to charge everywhere you want
- monoblocs or cells in a tray batteries: depends on the running time you need
- cylindrical or flat brush system: depends on the floor and if you need to sweep or not
- brushes or pads: a large choice to be closed to the cleaning task

The efficient one-stop solution

Versatile enough for any hard floor, our scrubber dryers are designed for ease-of-operation and straightforward maintenance, saving you time at every turn. And whichever you choose, proven performance is ensured.

WALK-BEHIND SCRUBBER-DRYERS

All our walk-behind scrubber-dryers have different cleaning capacities, which means you will always be able to find the optimum machine for your needs. These versatile machines are capable of cleaning any hard floor.

Choose models with either disc or cylindrical brushes, with or without traction, battery or electrical-driven. A cylindrical brush ensures debris enters the scrubbing path and is collected in a separate hopper (wet sweeping) and is ideal for cleaning garages, warehouses, automotive showrooms or sports facilities etc.



RIDE-ON SCRUBBERS

Our range of ride-on scrubbers give you perfect quality combined with a number of additional features. Time-tested technology ensures efficient and economical application.

Nilfisk ride-on scrubbers mean a perfect clean in next to no time. These machines take care of several steps simultaneously. The scrubber - which can be switched on when ever needed - does its job with the help of water and an additional detergent. In the final step, the rear mounted squeegee picks up used water and collects it in the tank.

SCRUBTEC BOOST R 4

Our SCRUBTEC BOOST R 4 cleans floors more effectively than traditional disc scrubbers! The unique BOOST™ pad is rectangular and provides consistent contact across the cleaning path. Its orbital motion requires less pad pressure and attacks dirt from multiple directions as it passes over the floor. Efficient use of the cleaning solution results in water savings of 50% to 70% with BOOST™, reducing waste water removal costs and protecting the environment.



Who says a hard-wearing cleaner can't be quiet?

Ideal for confined areas both in- and outdoors, our FLOORTEC dust-free sweepers combine rugged design with quiet performance.

FLOORTEC WALK-BEHIND SWEEPERS

We have walk-behind sweepers available for indoor and outdoor use and for cleaning large carpeted areas. For optimal capacity, some of our walkbehind machines use the overthrow system, which means the main broom fills the hopper from the top.

FLOORTEC walk-behind sweepers are the ideal solution for small to medium sized cleaning jobs such as service stations, parking lots, school yards, factories and small warehouses. Battery driven for indoor use and petrol driven for demanding outdoor tasks. They are all designed for simple operation, easy service and maintenance, and all feature dust-free sweeping.



RIDE-ON SWEEPERS

Our range of ride-on sweepers gets the job done quickly, effectively and with maximum driver comfort. Their design is combined with powerful engines, wide sweeping path, excellent manoeuvrability and a ramp climbing capacity from 16% to 20% for cleaning large areas of floors or carpets, and for getting into confined spaces such as elevators or narrow aisles. Battery driven for indoor use and petrol/LPG driven for demanding tasks. They are all designed for simple operation, easy service and maintenance, and all feature dust-free sweeping. Some models offer a high dump system for easy emptying.

A complete range of polishers

SINGLE DISC FLOOR POLISHERS

SPINTEC 443 is a range of single disc floor polishers for your professional maintenance and everyday cleaning tasks. This platform offers you the choice of low speed, high speed and dual speed models, which ensures efficient scrubbing, stripping, polishing and spray cleaning of almost all types of floors, while also getting a longer lasting and attractive finish.

The SPINTEC 551 UH is a handy and easy-to-use burnisher ideally suited for daytime cleaning in hospitals, institutions, hotels, retail stores and for contract cleaning companies. With a folding handle it is easy to transport and can be in operation within few seconds.



Eco Brilliance Pads

– renovate floors in four easy steps

With the Nilfisk Eco Brilliance pad system you can renovate your floor during daily cleaning. Use 4 pads in 4 steps to achieve a clean and shiny floor. The 4 steps have to be repeated in the same way and correct order to achieve perfect results.

The 4 pad system can also be used to intensively renovate floors but this will increase the downtime of the surface. Before renovating a floor consider the daily traffic in the area. If daily traffic is high you consider how shiny the floor needs to be, as higher shine floors require extra maintenance.



Better results

The Nilfisk Eco Brilliance pad not only saves time, but is environmentally friendly and gives a better result compared to traditional pads. The method was developed for soft stone or concrete floors, but it also gives an excellent result on other floor types, such as plastic and linoleum and polished surfaces. It is best-suited to shops, foyers and other heavy traffic which require not just cleanliness, but also a shiny, attractive surface.

The environment and result

The combination of pads and clean water give perfect cleaning results and minimise residues. In heavily soiled areas or production zones, detergent can be added if required. Almost all Nilfisk scrubber dryers can be fitted with the Ecoflex dosing system for nonchemical cleaning, allowing the addition of detergent as required.

- Renovates old and worn floors and restores shine.
- Brings floor restoration to a more economical level.
- Simple system for renovating floors during daily cleaning.
- Buffs floors to the desired shine.

How to get clean shiny floors

To get clean shiny floors the 4 different pads should be used in 4 steps renovating your floors. Starting with the step 1 red pad it needs to pass the same surface between 6 to 10 times depending on the floor condition before moving to the next step. All steps need to be done with water and the water needs to be removed between every step. For renovating large areas a scrubber drier is recommended but if the surface is smaller a single disc together with a wet vac can do the job fast and easy. This is also a fast way to make a demonstration on a small surface to confirm which result can be achieved.

Need a high gloss?

If a high gloss floor is preferred the step 4 green pad can be used dry with a burnisher or high speed single disc machine with 300-2000 rpm.

This will give an easy to clean surface with very high shine. To preserve this level daily maintenance may need to be increased depending on daily traffic.

ECO BRILLIANCE PADS RANGE


STEP 1 - COARSE - RED

Use the red pad to remove old and worn surfaces, leaving a clean matt finish.



STEP 3 - FINE - YELLOW

Use yellow pad for daily cleaning which removes dirt and scratches, leaving a satin surface which is easy to keep clean. The renovation can stop here but continue to use the yellow pad in the daily cleaning to preserve this condition of the floor.



STEP 2 - MEDIUM - BLUE

Use the blue pad to prepare the surface still leaving a clean but less matt finish.



STEP 4 - VERY FINE - GREEN

Use the green pad for daily cleaning which removes dirt and scratches, leaving a shiny surface. For high gloss the green pad can be used dry on a high speed burnisher or a high speed single disc machine depending on floor type. This high shine can require extra work to be maintained if the daily traffic of the area is high.



Eco Pads

– cleaner floors and a greener world

With Eco Pads we offer you an eco-friendly way to clean, maintain and preserve the gloss of your floors. The Eco Pads are available in 8 variants for the most common floor surfaces such as terrazzo, natural stone, concrete, vinyl and epoxy. Eco Pads are made of 100% recycled synthetic fibre material (polyester), and the primary source of materials is recycled soda and water bottles!



BLUE - CLEANER PAD

The Blue Cleaner Pad is constructed of polyester fibers in a semi open texture nonwoven fabrication and is specially designed for medium wet scrubbing or heavy duty spray cleaning. Use with a neutral floor cleaning solution to remove old soiled floor finish layers. This product is also used to scrub soiled hard surface floors such as concrete when used with appropriate cleaning chemicals. Aggressively removes heavy dirt and scuff marks. Ideal for use on machines speeds up to 350 RPM.



BROWN - STRIPPING PAD

The Brown Stripping Pad is constructed of polyester fibers in a semi open texture nonwoven fabrication and is designed for medium duty stripping. Use with water based floor stripping solution to remove worn and soiled floor finishes or sealers. For use on standard electric floor machines or automatic scrubbers. Ideal for use on machines speeds up to 350 RPM.



E-GREEN - SCRUB PAD

The E-Green Scrub Pad is constructed of polyester fibres in a semi open texture nonwoven fabrication and is designed for deep scrubbing. Use with a cleaning solution to scrub hard floor surfaces. This pad will aggressively remove dirt and scuff marks from heavily soiled floors. For use on standard electric floor machines or automatic scrubbers. Ideal for use on machines speeds up to 350 RPM.



E-BLACK - STRIPPING PAD

The E-Black Stripping Pad is constructed of polyester fibers in a semi open texture nonwoven fabrication. Designed for customers who want a more dense nonwoven pad. Use with water based floor stripping solution to remove worn and soiled floor finishes or sealers. For use on standard electric floor machines or automatic scrubbers. Ideal for use on machines speeds up to 350 RPM.



RED - BUFFING PAD

The Red Buffing Pad is used for light cleaning and buffing. It will remove light scuff marks and dirt while producing a high gloss shine. For use on standard electric floor machines, orbital scrubbers and automatic scrubbers. Ideal for use on machines speeds up to 800 RPM.



TAN - BUFFING PAD

The Tan Buffing is a floor maintenance pad used for light cleaning and buffing. It will remove light scuff marks and dirt while producing a high gloss shine. For use on standard electric floor machines, orbital scrubbers and automatic scrubbers. Ideal for use on machines speeds up to 800 RPM.



REMOVER - ULTRA HIGH SPEED BURNISHING PAD

The Remover floor maintenance UHS burnishing Pad is constructed of polyester fibers in a textured nonwoven fabrication. Used to burnish/polish floor finish to a high gloss, for soft and hard finishes. This pad has a special funder formulation that allows the pad to effectively remove black marks and restore gloss in one pass. Ideal for use on machines speeds up to 3000 RPM.



WHITE - SUPER POLISH PAD

The White Polish floor maintenance Pad is made of polyester fibers in a dense textured, nonwoven pattern, bonded with a sturdy adhesive. This extra fine pad has been designed for polishing clean, dry floors. Use dry or with a fine water mist to produce a high gloss wet look to newly finished floors. For use with standard electric floor machines, orbital scrubbers and automatic scrubbers. Ideal for use on machines speeds up to 1000 RPM.

Empower your Nilfisk

In order to ensure that your machine provides the best possible service, we recommend that you always use our range of batteries in your equipment. The technology of our machines is supplemented by batteries selected for their quality and durability, reliable operation and minimum maintenance. The capacity of the batteries in our program is measured in A/h (Amperes per hour) and is listed according to the European std. in A/5h.



Acid Batteries / WET batteries

The WET batteries are lead sulphate batteries, and they are made in a flat plate or tubular metal construction which are soaked in a sulphuric acid solution which produces a chemical reaction between the plates / tubes thus allowing the desired voltage and capacity to be reached. The lifetime of WET / acid batteries is measured in cycles. One cycle is equal to a full discharge / charge sequence, the lifetime of WET / acid batteries varies between 800-1500 cycles.

Semi Traction batteries are also available – these are WET / acid batteries manufactured with a different technology and with less cycles - typically 300-500 cycles.

WET / acid batteries release gas during the re-charging phase, which is why they regularly need to be refilled with distilled water. Charging of WET / acid batteries also needs to take place in dedicated ventilated room.

GEL batteries / Maintenance free batteries

The maintenance free batteries are sealed valve regulated batteries with the same dimensions as std. WET batteries, but maintenance free batteries have less capacity per unit. Maintenance free batteries can only be discharged down to 70% compared to a std. WET battery, which can be discharged to 80%. This means that it is vital to be clear on the need when choosing maintenance free batteries.

The maintenance free batteries have some advantages compared to a standard WET battery such as:

- No water refill
- Lower power consumption during charging
- No acid spill on the machine or in the charging room
- No gassing during charging – no special room needed

Maintenance free batteries are approximately 35-50 % more expensive than standard WET batteries.

The lifespan of a battery

The lifespan of a battery is measured by charge and discharge sequences – one charge and discharge is one cycle. It is important to stress that the life span of all batteries are shortened if the battery is not allowed to fully recharge after use – i.e. if the battery is put to use before it is fully charged it will be damaged.

The no. of cycles is an important quality indicator on all traction batteries - the more cycles - the longer the life span. The average level of cycles for a conventional battery in the market is 600-800 while all Nilfisk machines can be equipped with batteries that considerably exceed the average of useful cycles.





Light and compact upright scrubber dryer

- Easy to use, low weight, easy to carry
- Flexible for both hard floors and small carpets (Option)
- Ergonomic two handed operation
- Easy maintenance
- Removable tank in tank system (Carry in one hand)
- Detachable cord 10 m
- Transparent solution tank for solution level control
- Simple on/off main switch (also solution pump can be turned off)

SCRUBTEC 130 E is an interesting choice for small shops, schools, restaurants, coffee shops, gas stations, bakeries, fast food chains, hotels, cleaning companies etc., and also in-home cleaning. It is a small upright scrubber dryer, designed for cleaning of mainly hard surface floors, but can also clean small carpet areas, remove spots, etc. with an optional kit including carpet squeegees. By adding the optional kit, the machine gets ready for spot cleaning of carpets, cleaning of entrée carpets or small areas of textile flooring.



TECHNICAL DATA

SCRUBTEC 130 E

Scrubbing width (mm)	310
Squeegee width (mm)	321
Productivity theoretical/actual (m ² /h)	630/310
Solution/recovery tank (l)	3/4
Brush speed (RPM)	2100
Brush quantity and type	1 Cylindrical
Volt/frequency (V/Hz)	220-240/ 50-60
Length x width x height (mm)	400x360x1150
Weight (kg)	12
Sound pressure level (dB(A))	72 ± 2
Ip protection class	X4
Power consumption (W)	800

FEATURES

Detachable cord	•
Delivered ready to use (full package)	•
Plastic bumper on the deck	•
Tank in tank solution	•
Two hands working handle	•

STANDARD EQUIPMENT

2-HAND HANDLE	107413470
DETACHABLE CORD 10M EU	107413490
BRUSH CYL 310MM MEDIUM WHITE	107411860
SQUEEGEE 321MM 13 KIT	107411867
ITEM NO.	107408150

**PRODEJ A SERVIS MYČÍCH, ČISTÍCÍCH
A ÚKLIDOVÝCH SYSTÉMŮ**

Ing. Marie Hnaničková - MOWIS
Kloboucká 1407, 763 31 BRUMOV - BYLNICE
tel./fax: 577 321 312, mobil: 603 508 501
e-mail: mowis@mowis.cz, www.mowis.cz



SCRUBTEC 334 C sweep, scrub and dry at the same time

- Easy handling: Tank-in-tank design for carrying in one hand gives an easy emptying and refilling
- Effective: Sweeping, scrubbing and drying at the same time
- High cleaning performance: 34 cm cylindrical brush or microfiber roll
- Productive: Up to 40 minutes of runtime with 6-liter solution tank and a 6-liter recovery tank
- Powerful: 36V Lithium battery technology, including charger
- Easy to use: The ergonomic handle can be adjusted into different positions, used free floating or folded for storage
- Intuitive and self-explaining: Informative display on the handle
- Full control: OneTouch button is activating all essential functions and touch sensors in the handle provide an easy operation
- Non-stop cleaning: The two water/solution settings can be changed on-the-fly
- Safe: Out of Water alarm protecting the machine
- Convenient: Easy to carry and move due to its compact design and low weight
- Low TCO: Long lifetime with 'No tool' inspection, service and maintenance

The SCRUBTEC 334 is a compact scrubber dryer for fast and effective cleaning of hard floors, which will take you into every corner and ensure efficient cleaning in both directions - also under furniture and shelves. You will get a light and productive machine with a low sound level suited for daytime cleaning as it is battery-driven. An attractive choice for gas stations, fast food chains, automotive, etc.



TECHNICAL DATA

SCRUBTEC 334C B

Squeegee width (mm)	340
Productivity theoretical/actual (m ² /h)	1360/680
Solution/recovery tank (l)	6/6
Brush pressure (kg)	Max 12
Brush speed (RPM)	1000
Brush quantity and type	1 Cyl
Length x width x height (mm)	630x425x400
Weight (kg)	25
Ip protection class	X4
Power consumption (kW)	0.3
FEATURES	
Compact design	•
Lithium Battery	•
Delivered ready to use (full package)	•
One Touch Button	•
Tank in tank solution	•
Scrubbing and sweeping	•
STANDARD EQUIPMENT	
MINI CONTAINER PLAST. F DIRT PKD	9100001964
BATTERY LI KIT INCL CHARGER EU UK	9100002056
BRUSH CYL 340MM MEDIUM NYLON WHITE	9100002066
ITEM NO.	9087382020



PRODEJ A SERVIS MYČÍCH, ČISTÍCÍCH A ÚKLIDOVÝCH SYSTÉMŮ

Ing. Marie Hnaničková - MOWIS
 Kloboucká 1407, 763 31 BRUMOV - BYLNICE
 tel./fax: 577 321 312, mobil: 603 508 501
 e-mail: mowis@mowis.cz, www.mowis.cz



Battery powered and ideal for small areas

- Outstanding pressure for excellent scrubbing effectiveness
- Easily adjustable deck for a perfect traction control
- Adjustable water flow
- Fast and simple maintenance since all components are easily accessible
- Clear recovery lid
- Ergonomic, adjustable and foldable handle
- Large non marking wheels for easy transport
- Automatic brush and solution on off in neutral
- Patent Elastic Strap System for easy installation and removal of squeegee blades
- On board charger
- Real two tank system in one
- Unique rotating deck allows cleaning both backward and forward

SCRUBTEC 337.2 is designed for increasing productivity, optimizing maneuverability and saving time and costs. With its unique features not least the ability to clean in all directions making it the ideal scrubber/dryer for smaller to midsize businesses, showrooms, etc.



TECHNICAL DATA

SCRUBTEC 337.2

Scrubbing width (mm)	370
Squeegee width (mm)	470
Productivity theoretical/actual (m ² /h)	1480/890
Working speed (km/h)	4
Solution/recovery tank (l)	11/12
Brush/pad diameter (mm)	370/355
Brush motor (W)	260
Brush pressure (kg)	27
Brush speed (RPM)	120
Brush quantity and type	1 Disc
Volt/frequency (V/Hz)	12/ -
Min. turn-around aisle width (cm)	85
Length x width x height (mm)	726x475x446
Weight w/batteries (kg)	72
Sound pressure level (dB(A))	64
Ip protection class	IPX4

FEATURES

Automatic brush shut off	•
Automatic solution shut off	•
Adjustable handle	•
On-board charger	•
Removable recovery lid	•
Rotating deck	•

STANDARD EQUIPMENT

BATTERY 12V 55AH AGM SPIRACEL	9100001664
CHARGER BATT. O/B 12V 15A 230V EU KIT	9100000713
BRUSH DISC 370MM 14.5 PROLENE	9099999000
BLADE SQUEEGEE 370MM 14.5 PU KIT	9100000077

ITEM NO.

9087343020



**PRODEJ A SERVIS MYCÍCH, ČISTÍCÍCH
A ÚKLIDOVÝCH SYSTÉMŮ**

Ing. Marie Hnaničková - MOWIS
Kloboucká 1407, 763 31 BRUMOV - BYLNICE
tel./fax: 577 321 312, mobil: 603 508 501
e-mail: mowis@mowis.cz, www.mowis.cz



Highly manoeuvrable compact walk-behind scrubber dryer

- Robust design
- Electrical Ecofriendly water flow control
- Double scrubbing for heavy duty cleaning tasks
- Easy deck adjustment for full traction control
- Quick and easy check of water level through the transparent hose
- Squeegee lifting with convenient foot pedal
- Large capacity tanks 31 liter
- Rear drain hose with flow control
- LED battery indicator
- Automatic brush on/off
- Safty yellow switches stops all major functions
- Front extractable transportation wheel

SCRUBTEC 343.2 offers excellent cleaning performance in a small compact size. Innovative squeegee lifting system operated by foot to increase comfort. Electronically controlled solution flows to save water. Solution and brush on/off thanks to the yellow switches directly on the handle. It's ideal for light to medium floor cleaning tasks, and a reliable and productive machine with excellent performance, high safety and low service costs.



TECHNICAL DATA	SCRUBTEC 343.2 B	SCRUBTEC 343.2 B COMBI	SCRUBTEC 343.2 E
Scrubbing width (mm)	430	430	430
Squeegee width (mm)	720	720	720
Productivity theoretical/actual (m ² /h)	1720/1035	1720/1035	1720/1035
Working speed (km/h)	4	4	4
Solution/recovery tank (l)	31/30	31/30	31/30
Brush/pad diameter (mm)	430/432	430/432	430/432
Brush pressure (kg)	30	30	48
Brush speed (RPM)	155	155	150
Brush quantity and type	1 Disc	1 Disc	1 Disc
Volt/frequency (V/Hz)	24/ -	24/ -	220/240-50/60
Min. turn-around aisle width (cm)	125	125	125
Length x width x height (mm)	1115x570x1050	1115x570x1050	1115x570x1050
Weight (kg)	75		65
Weight w/batteries (kg)	-	133	-
Sound pressure level (dB(A))	65	65	70
Power source Battery	24	24	-
FEATURES			
Cable version			•
Battery version	•	•	
On-board charger	•	•	
STANDARD EQUIPMENT			
BATT. 12V-76AH GEL MONOBLOC		80564310	
CHARGER BATT. ON BOARD 24V 8A 100-230V	9099388000	9099388000	
BRUSH DISC 430MM 17 PROLENE		L08812891	L08812891
BLADE SQUEEGEE 720MM 28 PU KIT	9097354000	9097354000	9097354000
ITEM NO.	9087319020	9087315020	9087317020



**PRODEJ A SERVIS MYČÍCH, ČISTÍCÍCH
A ÚKLIDOVÝCH SYSTÉMŮ**

Ing. Marie Hnaničková - MOWIS
Kloboucká 1407, 763 31 BRUMOV - BYLNICE
tel./fax: 577 321 312, mobil: 603 508 501
e-mail: mowis@mowis.cz, www.mowis.cz



Scrubber-dryer with great productivity and ease of use in a price competitive full package

- High suction power ensures dry and clean floors - even on tile floors
- Curved squeegee for 100% water pick-up on all types of floors
- Front filling port to fill solution tank in a fast way
- Standard on board charger
- Brush and squeegee blades easy to install and remove without any tools
- Just 2 buttons to engage brush and vac motors and safety switches on the handle to start the cleaning job
- Eco-solution: Low consumption of water, adjustable water flow will allow no waste of water
- Simple, quick and hygienic maintenance: Full access to recovery tank – easy to clean and empty

The SCRUBTEC 453 has been designed to scrub & dry without any fuss. This is pure cleaning efficiency packed into a simple machine focusing 100% on helping you to get the job done. Being a robust, scrubber & dryer - so easy to use and maintain - the SCRUBTEC 453 is a very basic machine, simple, easy and intuitive to operate and use, without any training. A machine ready to be used - great productivity that simply works for you!



TECHNICAL DATA

SCRUBTEC 453 B

Scrubbing width (mm)	530
Squeegee width (mm)	760
Productivity theoretical/actual (m ² /h)	2120/1272
Working speed (km/h)	4
Solution/recovery tank (l)	40/45
Brush/pad diameter (mm)	530/508
Brush motor (W)	480
Brush pressure (kg)	34
Brush quantity and type	1 Disc
Max climbing rate (%)	2
Length x width x height (mm)	1180x760x1060
Weight (kg)	76

FEATURES

Blades can be used on 4 edges	•
Ergonomic handle with two safety switches	•
Quick change system for squeegee blades	•
Battery indicator	•
Squeezable drain hose with flow control	•
Delivered ready to use (full package)	•

STANDARD EQUIPMENT

BATT. 12V-105AH GEL MONOBLOC	80564400
CHARGER BATT. O/B 24V 13A 100-230V KIT	909 6739 000
BRUSH DISC 530MM 21 PROLENE	L08837025
BLADES NON MARKING 740MM/29 KIT	9100000279

ITEM NO.	9087333020
-----------------	-------------------



PRODEJ A SERVIS MYČÍCH, ČISTÍCÍCH A ÚKLIDOVÝCH SYSTÉMŮ

Ing. Marie Hnaničková - MOWIS
 Kloboucká 1407, 763 31 BRUMOV - BYLNICE
 tel./fax: 577 321 312, mobil: 603 508 501
 e-mail: mowis@mowis.cz, www.mowis.cz



Highly-productive medium-size walk-behind scrubber dryer

- 42 liters solution and recovery tanks
- Large access to recovery tank for cleaning and maintenance
- Adjustable scrubbing pressure (L versions) to secure the best cleaning performance
- All versions are Chemical mixing prepared

SCRUBTEC 553 offers fast, effective and inexpensive cleaning. This highly productive scrubber dryer produces a fast return on investment and represent great value for money with in walk-behind scrubber dryers. Its suitable for easy and efficient floor cleaning in manufacturing plants, car showrooms, garages, warehouses and wherever its important that floors are kept clean.



TECHNICAL DATA	SCRUBTEC 553 B	SCRUBTEC 553 BL	SCRUBTEC 553 BL COMBI
Scrubbing width (mm)	530	530	530
Squeegee width (mm)	760	760	760
Productivity theoretical/actual (m ² /h)	2120/1275	2385/1435	2385/1435
Working speed (km/h)	4	4.5	4.5
Solution/recovery tank (l)	42/42	42/42	42/42
Brush/pad diameter (mm)	530/508	530/508	530/508
Brush motor (W)	480	480	480
Brush pressure (kg)	25	25/35	25/35
Brush speed (RPM)	153	153	153
Brush quantity and type	1 Disc	1 Disc	1 Disc
Volt/frequency (V/Hz)	24/ -	24/ -	24/ -
Min. turn-around aisle width (cm)	130	130	130
Length x width x height (mm)	1228x541x1058	1228x541x1058	1228x541x1058
Weight (kg)	81	86	186
Sound pressure level (dB(A))	65.8	65.8	65.8
FEATURES			
With traction motor		•	•
Battery version	•	•	•
Adjustable brush pressure		•	•
On-board charger			•
STANDARD EQUIPMENT			
BATT. 12V-105AH GEL MONOBLOC			80564400
CHARGER BATT. O/B 24V 13A 100-230V KIT			909 6739 000
BRUSH DISC 530MM 21 PROLENE			L08837025
BLADES NON MARKING 740MM/29 KIT	9100000279	9100000279	9100000279
ITEM NO.	9087176020	9087179020	9087180020



**PRODEJ A SERVIS MYČÍCH, ČISTÍČÍCH
A ÚKLIDOVÝCH SYSTÉMŮ**

Ing. Marie Hnaničková - MOWIS
Kloboucká 1407, 763 31 BRUMOV - BYLNICE
tel./fax: 577 321 312, mobil: 603 508 501
e-mail: mowis@mowis.cz, www.mowis.cz



Medium-size walk-behind scrubber dryers with interchangeable brush deck

- Interchangeable brush decks with 2 disc sizes (53 and 61 cm) or 51 cm cylindrical 55 litres solution and recovery tanks
- Large access to recovery tank speeds up cleaning time
- Adjustable scrubbing pressure provides the best results under all conditions

Apart from the interchangeable brush deck, other features include an exceptionally low sound level, adjustable scrubbing pressure and a dashboard that is designed to reduce typical operator errors. Suitable for easy, efficient floor cleaning in manufacturing plants, car dealers, garages, warehouses and wherever it is important that floors be kept clean.



PRODEJ A SERVIS MYČÍCH, ČISTÍCÍCH A ÚKLIDOVÝCH SYSTÉMŮ

Ing. Marie Hnaničková - MOWIS
Kloboucká 1407, 763 31 BRUMOV - BYLNICE
tel./fax: 577 321 312, mobil: 603 508 501
e-mail: mowis@mowis.cz, www.mowis.cz



TECHNICAL DATA	SCRUBTEC 651 BCL COMBI	SCRUBTEC 653 B	SCRUBTEC 653 BL	SCRUBTEC 653 BL COMBI	SCRUBTEC 661 BL	SCRUBTEC 661 BL COMBI
Scrubbing width (mm)	510	530	530	530	610	610
Squeegee width (mm)	760	760	760	760	810	810
Productivity theoretical/actual (m ² /h)	2860/1720	2120/1275	2970/1785	2970/1785	3420/2055	3420/2055
Working speed (km/h)	5.6	4	5.6	5.6	5.6	5.6
Solution/recovery tank (l)	55/55	55/55	55/55	55/55	55/55	55/55
Brush/pad diameter (mm)	-	530/508	530/508	530/508	305/305	305/305
Brush motor (W)	2x400	480	480	480	2x350	2x350
Brush pressure (kg)	28	25	25/45	25/45	20/40	20/40
Brush speed (RPM)	570	153	153	153	230	230
Brush quantity and type	2 Cylindrical	1 Disc	1 Disc	1 Disc	2 Disc	2 Disc
Volt/frequency (V/Hz)	24/ -	24/ -	24/ -	24/ -	24/ -	24/ -
Max climbing rate (%)	2	2	2	2	2	2
Min. turn-around aisle width (cm)	137	142	142	142	146	146
Length x width x height (mm)	1253x575x1088	1323x541x1088	1323x541x1088	1323x541x1088	1311x646x1088	1311x646x1088
Weight (kg)	196	87	95	186	95	186
Sound pressure level (dB(A))	65.8	65.8	65.8	65.8	65.8	65.8
FEATURES						
Disc brush version		•	•	•	•	•
With traction motor	•		•	•	•	•
Battery version	•	•	•	•	•	•
Cylindrical brush version	•					
Adjustable brush pressure			•	•	•	•
On-board charger	•			•		•
STANDARD EQUIPMENT						
BATT. 12V-105AH GEL MONOBLOC	80564400			80564400		80564400
CHARGER BATT. O/B 24V 13A 100-230V KIT	909 6739 000			909 6739 000		909 6739 000
BRUSH DISC 305MM 12 PROLENE						L08603842
BRUSH DISC 530MM 21 PROLENE				L08837025		
BRUSH CYL 510MM 20 PROLITE RED	909 5823 000					
BLADES NON MARKING 840MM/33 KIT					9100000280	9100000280
BLADES NON MARKING 740MM/29 KIT	9100000279	9100000279	9100000279	9100000279		
ITEM NO.	9087193020	9087186020	9087189020	9087190020	9087195020	9087196020